

### Safety Data Sheet dated 31/3/2022, version 6.0 This version cancels and substitutes any previous version

### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name: Vacuum Pump Oil 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Vacuum pumps lubricant 1.3. Details of the supplier of the safety data sheet Company: ERRECOM SPA Via Industriale, 14 Corzano (BS) Italy Tel. +39 030/9719096 Competent person responsible for the safety data sheet: lab@errecom.it 1.4. Emergency telephone number +39 02-6610-1029 Poison Control Center Niguarda Ca' Granda - Milano - ITALY **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP) The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms: None Hazard statements: None Precautionary statements: None Special Provisions: None Special provisions according to Annex XVII of REACH and subsequent amendments: Restricted to professional users. 2.3. Other hazards No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards: No other hazards **SECTION 3: Composition/information on ingredients** 3.1. Substances N.A. 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:



Qty	Name	Ident. Number		Classification
>= 90%	Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated	Index number: CAS: EC: REACH No.:	649-530-00-X 101316-72-7 309-877-7 01-21194899 69-06-XXXX	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

- None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:
  - Water spray.
  - Foam fire extinguisher.
  - CO2 or Dry chemical fire extinguisher.

Extinguishing media which must not be used for safety reasons:

- High pressure water jet.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
  Use suitable breathing apparatus.
  Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
  Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
    - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.



In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists. Advice on general occupational hygiene:
    - Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities

  Keep container tightly closed. To maintain product quality, do not store in heat or direct sunlight. Keep in a dry, cool and well-ventilated place.
  Keep away from food, drink and feed.
  Incompatible materials:
  See subsection 10.5
  Instructions as regards storage premises:
  Adequately ventilated premises.

  7.3. Specific end use(s)

  Information not available.

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated - CAS: 101316-72-7 ACGIH - TWA(8h): 5 mg/m3 - STEL(15min): 10 mg/m3 DNEL Exposure Limit Values N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection:

Not needed for normal use.

Thermal Hazards: None

Environmental exposure controls:

None

Appropriate engineering controls:

None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		



Colour:	Amber		
Odour:	characteristic		
Melting point/freezing	N.A.		
point:	1.7.1.		
Boiling point or initial	N.A.		
boiling point and boiling			
range:			
Flammability:	N.A.		
Lower and upper explosion	N.A.		
limit:			
Flash point:	220 ° C	ASTM-D 92	
Auto-ignition temperature:	N.A.		
Decomposition	N.A.		
temperature:			
pH:	N.A.		
Kinematic viscosity:	N.A.		
Solubility in water:	insoluble		
Solubility in oil:	N.A.		
Partition coefficient	N.A.		
n-octanol/water (log value):			
Vapour pressure:	N.A.		
Density and/or relative	0.88 g/mL	ASTM-D4052	
density:	(+15°C/+59°F		
	)		
Relative vapour density:	N.A.		
	Particle cha	racteristics:	
Particle size:	N.A.		

#### 9.2. Other information

Properties	Value	Method:	Notes:
Viscosity:	32 - 68 mm²/s	ASTM-D445	
	(40°C/104°F)		

#### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid

Avoid extreme heat and high-energy ignition sources.

- 10.5. Incompatible materials Strong oxidizing agents.
  - strong acids and bases.
- 10.6. Hazardous decomposition products No data available

#### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

VACUUM PUMP OIL/6.0 Page n. 4 of 8



a) acute toxicity
Not classified
Based on available data, the classification criteria are not met
Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg
Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg
b) skin corrosion/irritation
Not classified
Based on available data, the classification criteria are not met
c) serious eye damage/irritation
Not classified
Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation
Not classified
Based on available data, the classification criteria are not met
e) germ cell mutagenicity
Not classified
Based on available data, the classification criteria are not met
f) carcinogenicity
Not classified
Based on available data, the classification criteria are not met
g) reproductive toxicity
Not classified
Based on available data, the classification criteria are not met
h) STOT-single exposure
Not classified
Based on available data, the classification criteria are not met
i) STOT-repeated exposure
Not classified
Based on available data, the classification criteria are not met
j) aspiration hazard
Not classified
Based on available data, the classification criteria are not met
Toxicological information of the main substances found in the product:
Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated - CAS: 101316-72-7
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 5 mg/L - Duration: 4h
Test. $LOSO = ROULE. Initialation = Species. Rat > 5 mg/L = Dutation. 411$
11.2. Information on other hazards

Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1%

### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Not classified for environmental hazards Based on available data, the classification criteria are not met a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 166 mg/L - Notes: fresh water fish. Endpoint: EC50 - Species: Daphnia 166 mg/L - Notes: fresh water invertebrates. Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated

a) Aquatic acute toxicity:

VACUUM PUMP OIL/6.0 Page n. 5 of 8



Endpoint: LC50 - Species: Fish > 100 mg/L - Duration h: 96 Endpoint: EC50 - Species: Daphnia > 100 mg/L - Duration h: 48 12.2. Persistence and degradability

- N.A.
- 12.3. Bioaccumulative potential
  - N.A.
- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects None

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods Recover if possible. In so doing, comply with the local and national regulations currently in force.

#### **SECTION 14: Transport information**

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group

N.A.

- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user N.A.
- 14.7. Maritime transport in bulk according to IMO instruments N.A.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 905/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP)

VACUUM PUMP OIL/6.0 Page n. 6 of 8



Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: **Restriction 28** Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

### **SECTION 16: Other information**

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
	Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of

VACUUM PUMP OIL/6.0 Page n. 7 of 8



ΙΑΤΑ:	Chemicals. International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.