

★ ★ ★ ★ ★

EUROTON

KAKOVOSTNI AVTODELI

EUROTON d.o.o.

trgovinsko in storitveno podjetje

ID št. za DDV: SI34058117

Tržaška cesta 383

1000 Ljubljana

Slovenija

Tel: +386(01) 200 26 78

Fax: +386(01) 200 26 99

Email: info@euroton.si

Pridržujemo si pravico do tehničnih sprememb.
Ne prevzamamo odgovornosti za tiskarske napake.

55601503



MOTORBIKE



Vse o motornih kolesih
All about motorbikes





ADITIVI ADDITIVES



SLO Zdaj so vse litrske embalaže opremljene z integriranim lijem!

GB Now all 1-liter canisters with integrated pourer!

Motorbike Oil Additive

SLO Zaščita pred obrabo motorja na osnovi MoS₂. Znanstveno dokazano zmanjšuje obrabo do 50%. Podaljšuje življensko dobo motorja. Motor teče bolj gladko, poraba olja in goriva je nižja. Zmanjša hrupnost motorja ter število okvar. Testiran na katalizatorjih. Za vse dvo- in štiritaktne motorje z ločenim mazalnim sistemom. Primeren tudi za večploščne sklopke v oljni kopeli.

GB Engine wear protection on molybdenum disulfide basis (MoS₂). Scientifically proven wear reduction up to 50%. Extends the engine life. The engine runs smoother, the oil and fuel consumption are reduced. Increases engine quietness, fewer breakdowns. Cat tested. For all 4-cycle and 2-cycle engines with separate and gasoil lubrication. Can also be used in oil-immersed multi-plate clutches.

ADITIVI ADDITIVES



Motorbike Engine Flush

SLO Čistilna tekočina, ki notranjost motorja očisti težavnih depozitov. Razgraje umazanje in usedline. Spira in čisti oljne poti motornih koles s štiritaktnimi motorji. Pogostost uporabe je odvisna od stopnje kontaminacije oljnih poti in kakovosti uporabljenega olja.

GB Cleaning fluid for clearing the engine interior of troublesome deposits. Dissolves sludge and lacquer formers. Flushes out and cleans the oil circuits of motorcycles with four-stroke gasoline engines. The frequency of use is dependent on the degree of contamination of the oil circuit and on the quality of the oil used.

Motorbike 4T Bike-Additive

SLO Izboljšuje zmogljivost motorja. Zmanjšuje obloge v sistemu goriva, vžigalnih svečkah in zgorevalni komori ter preprečuje njihovo ponovno nastajanje. Slednje tudi zmanjša porabo goriva. Ščiti celoten sistem goriva pred korozijo. Preprečuje zaledenitev uplinjača. Testiran na motorjih s katalizatorji. Dodajte v gorivo vseh štiritaktnih motorjih (uplinjač in vbrizgalni sistem).

GB Increases engine performance. Removes deposits in the fuel system, in valves, spark plugs and in the combustion chamber and prevents renewed formation. That also reduces fuel consumption. Protects the entire fuel system from corrosion. Prevents carburetor icing. Cat tested. Add to fuel in all 4-cycle engines (carburetor and injection system).

ADITIVI ADDITIVES



Motorbike 2T Bike-Additive

SLO Povečuje zmogljivost motorja. Odstranjuje usedline v sistemu goriva, na sesalni in izpušni odprtini in preprečuje njihovo ponovno nastajanje. Čisti in ščiti sistem goriva pred korozijo. Testiran na motorjih s katalizatorji. Čisti motorji porabijo manj goriva in zmanjšujejo emisije. Za dvotaktni motorje z mešanim ali ločenim mazalnim sistemom.

GB Increases engine performance. Removes deposits in the fuel system and on intake and exhaust ports and prevents new formation. Protects the entire fuel system from corrosion. Cat tested. Clean engines need less fuel and reduce emissions. For all 2-cycle engines with mixed or separate lubrication.

Motorbike Speed Additive

SLO Sodobna kombinacija sredstev brez vsebnosti pepela ter s pospeševalnimi, čistilnimi, dispergirnimi in zaščitnimi lastnostmi. Zaradi optimiziranja zmogljivosti zagotavlja povečan užitek v vožnji. Izdelek omogoča lažji zagon in bolj gladek tek motorja. Dodajte gorivu vseh dvo- in štiritaktnih bencinskih motorjev.

GB State-of-the-art, ash-free combination of agents with acceleration-enhancing, cleaning, dispersing and material-protecting properties. Ensures increased driving enjoyment due to optimized performance. The engine starts easier and also runs smoother. Added to the fuel of all 4-stroke and 2-stroke gasoline engines.

ADITIVI ADDITIVES



Motorbike Gasoline Stabilizer

SLO Ohranja in ščiti gorivo pred staranjem in oksidacijo. Preprečuje korozijo po celotnem sistemu za gorivo. Preprečuje težave, ki se pojavljajo pri motornih kolesih, skuterjih, ATV, motornih saneh in drugih strojih z dvo- in štiritaktnim motorjem na bencinski pogon, ki so iz rabe. Poveča zanesljivost delovanja. Izdelek ima dolgoročen učinek. Dodajte v rezervoar za gorivo ob polnjenju. Vsebina napolnjene vrhnje dozirne posodice embalaže (25 ml) zadostuje za 5 litrov goriva.

GB Preserves and protects fuel against aging and oxidation. Prevents corrosion throughout the entire fuel system. Prevents problems from occurring when motorbikes, motor scooters, ATVs, snowmobiles and other gasoline-driven 2-stroke and 4-stroke engines are decommissioned. Increases operational reliability. The product has a lasting effect. Add to the tank when fueling. Filling the dosage chamber (25ml) once is sufficient for 5 liters (1.25 Gallons) of fuel.

Motorbike Radiator Cleaner

SLO Koncentrat za čiščenje poti hladilnega sistema. Depoziti v hladilnem/grelnem sistemu ustvarjajo zamaške v toplotni izmenjavi in mašijo ventile termostata ter kontrolne mehanizme. Previsoke temperature motorja povzročajo neekonomičen tek motorja ter prekomerno obrabo ob znatno večjem tveganju za okvaro. Kompatibilen s konvencionalnimi aditivi in tekočinami za hladilne sisteme.

GB Concentrate for cleaning coolant circuits. Deposits in the cooling/heating system create blockages for heat exchange and also block thermostat valves and control mechanisms. When engine temperatures are too high, the engine runs uneconomically and suffers excessive wear at considerable risk of damage. Compatible with all conventional coolant additives and antifreezes.

ADITIVI ADDITIVES



Motorbike Radiator Stop Leak

SLO Disperzija za zatesnitev puščanj v obotku hladilnega sistema. Izdelek zanesljivo zatesni drobne razpoke in druga drobna iztekanja. Uporablja se lahko preventivno, ob popravilih na področju hladilnega sistema. Izdelek je primeren tudi za hladilnike iz aluminija in plastike.

GB Dispersion for sealing leaks in coolant circuits. The product reliably seals hairline cracks and small leaks. Can be used preventively when repair work has been carried out on the cooling system. Also suitable for aluminium and plastic radiators.

MOTORNA OLJA ZA 4-TAKT STREET MOTOR OILS 4-STROKE STREET



Motorbike 4T Synth 5W-40 Street Race

SLO Polno sintetično, visoko učinkovito motorno olje za štiritaktne motorje z zračnim in vodnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. Tested on racing machines. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

ACEA A3, API SM, JASO MA2

125 ml, Kat. Št./Part no.: 3043

1 l, Kat. Št./Part no.: 2592

4 l, Kat. Št./Part no.: 1685

MOTORNA OLJA 4-TAKT STREET MOTOR OILS 4-STROKE STREET



Motorbike 4T Synth 10W-50 Street Race

SLO Polno sintetično, visoko zmogljivo motorno olje za štiritaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. Tested on racing machines. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

Motorbike 4T Synth 10W-60 Street Race

SLO Polno sintetično, visoko zmogljivo motorno olje za štiritaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. Tested on racing machines. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

1 l, Kat. Št./Part no.: 1502
4 l, Kat. Št./Part no.: 1686

1 l, Kat. Št./Part no.: 1525
4 l, Kat. Št./Part no.: 1687

MOTORNA OLJA 4-TAKT STREET MOTOR OILS 4-STROKE STREET



Motorbike 4T 10W-40 Street

SLO Visoko zmogljivo motorno olje za štiritaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB High-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

Motorbike 4T 10W-30 Street

SLO Visoko zmogljivo motorno olje za štiritaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB High-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

1 l, Kat. Št./Part no.: 1521
4 l, Kat. Št./Part no.: 1243

1 l, Kat. Št./Part no.: 2526
4 l, Kat. Št./Part no.: 1688

MOTORNA OLJA 4-TAKT STREET MOTOR OILS 4-STROKE STREET



Motorbike 4T 15W-50 Street

SLO Visoko zmogljivo motorno olje za štitiraktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistost motorja in maksimalno zaščito pred obraboto tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB High-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

Motorbike 4T 10W-40 Basic Street

SLO Težjim razmeram namenjeno motorno olje za štitiraktne motorje z zračnim in vodnim hlajenjem. Visoka zaščita motorja. Zagotavlja zanesljivo mazanje, optimalno zmanjšanje hrupnosti in dobro zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Heavy-duty motor oil for air and water-cooled 4-stroke engines. High engine protection. Guarantees reliable lubrication, optimum noise damping and good wear resistance even under extreme conditions. Tested on engines with catalytic converters. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

1 l, Kat. Št./Part no.: 2555
4 l, Kat. Št./Part no.: 1689

1 l, Kat. Št./Part no.: 3044
4 l, Kat. Št./Part no.: 3046

MOTORNO OLJE 4-TAKT STREET

MOTOR OILS 4-STROKE STREET



Motorbike 4T 20W-50 Street

SLO Težjim razmeram namenjeno motorno olje za štiritaktne motorje z zračnim in vodnim hlajenjem. Visoka zaščita motorja. Zagotavlja zanesljivo mazanje, optimalno zmanjšanje hrupnosti in dobro zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Heavy-duty motor oil for air and water-cooled 4-stroke engines. High engine protection. Guarantees reliable lubrication, optimum noise damping and good wear resistance even under extreme conditions. Tested on engines with catalytic converters. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SG, API SJ, API SL

1 l, Kat. Št./Part no.: 1500
4 l, Kat. Št./Part no.: 1696

Motorbike HD-Classic SAE 50 Street

SLO Mineralno, monogradno motorno olje. Za uporabo v starodobnih motornih kolesih. Posebej primerno za Harley Davidson. Zaščita pred korozijo in obrabo. Popolna strižna stabilnost. Zagotavlja gladek tek, dolgo življenjsko dobo motorja, manje evaporacijske izgube in nižjo porabo olja. Testirano na motorjih s katalizatorji.

GB Mineral single-grade motor oil. For usage in classical bikes. Specially suited for Harley Davidson. High-wear resistance and outstanding corrosion protection. Absolute shear stability. Guarantees smooth engine running and a longer engine service life. Lower evaporative losses and oil consumption. Catalytic-converter tested.

API SG

1 l, Kat. Št./Part no.: 1572
4 l, Kat. Št./Part no.: 1230

MOTORNO OLJE 4-TAKT STREET MOTOR OILS 4-STROKE STREET



Motorbike 4T 10W-40 Scooter

SLO Težjim razmeram namenjeno motorno olje za štiritaktne motorje z zračnim in vodnim hlajenjem. Visoka zaščita motorja. Zagotavlja zanesljivo mazanje, optimalno zmanjšanje hrupnosti in dobro zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Heavy-duty motor oil for air and water-cooled 4-stroke engines. High engine protection. Guarantees reliable lubrication, optimum noise damping and good wear resistance even under extreme conditions. Tested on engines with catalytic converters. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

ACEA A3, API SG, API SJ

MOTORNO OLJE 4-TAKT OFFROAD MOTOR OILS 4-STROKE OFFROAD



Motorbike 4T Synth 5W-40 Offroad Race

SLO Polno sintetično, visoko zmogljivo motorno olje za štiritaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistoč motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Posebej razvito za Enduro in motokros motorna kolesa, štirikolesnike, SxS in motorne sani za terensko vožnjo. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. Tested on racing machines. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Specially developed for Enduro and motocross motorbikes, quads, SxS and snowmobiles used off-road. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

ACEA A3, API SM, JASO MA2

1 l, Kat. Št./Part no.: 1618

1 l, Kat. Št./Part no.: 3018

4 l, Kat. Št./Part no.: 3019

MOTORNA OLJA 4-TAKT OFFROAD

MOTOR OILS 4-STROKE OFFROAD



Motorbike 4T Synth 10W-50 Offroad Race

SLO Polno sintetično, visoko zmogljivo motorno olje za štiritaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Posebej razvito za Enduro in motokros motorna kolesa, štirikolesnike, SxS in motorne sani za terensko vožnjo. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. Tested on racing machines. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Specially developed for Enduro and motocross motorbikes, quads, SxS and snowmobiles used off-road. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

Motorbike 4T Synth 10W-60 Offroad Race

SLO Polno sintetično, visoko zmogljivo motorno olje za štiritaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Posebej razvito za Enduro in motokros motorna kolesa, štirikolesnike, SxS in motorne sani za terensko vožnjo. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. Tested on racing machines. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Specially developed for Enduro and motocross motorbikes, quads, SxS and snowmobiles used off-road. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

1 l, Kat. Št./Part no.: 3051
4 l, Kat. Št./Part no.: 3052

1 l, Kat. Št./Part no.: 3053
4 l, Kat. Št./Part no.: 3054

MOTORNA OLJA 4-TAKT OFFROAD

MOTOR OILS 4-STROKE OFFROAD



Motorbike 4T 10W-40 Offroad

SLO Visoko zmogljivo motorno olje za štiritaktne motorje z zračnim in vodnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Za uporabo v športu. Zagotavlja maksimalno mazanje, izredno čistočo motorja in maksimalno zaščito tudi v izrednih razmerah delovanja. Testirano na motorjih s katalizatorji. Posebej razvito za Enduro in motokros motorna kolesa, štirikolesnike in motorne sani za terensko vožnjo. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB High-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Specially developed for Enduro and motocross motorbikes, quads, SxS and snowmobiles used off-road. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

Motorbike 4T 15W-50 Offroad

SLO Visoko zmogljiva motorna olja za štiritaktne motorje z zračnim in vodnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Za uporabo v športu. Zagotavlja maksimalno mazanje, izredno čistočo motorja in maksimalno zaščito tudi v izrednih razmerah delovanja. Testirano na motorjih s katalizatorji. Posebej razvito za Enduro in motokros motorna kolesa, štirikolesnike in motorne sani za terensko vožnjo. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB High-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Specially developed for Enduro and motocross motorbikes, quads, SxS and snowmobiles used off-road. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

1 l, Kat. Št./Part no.: 3055
4 l, Kat. Št./Part no.: 3056

1 l, Kat. Št./Part no.: 3057
4 l, Kat. Št./Part no.: 3058

MOTORNO OLJE 4-TAKT OFFROAD MOTOR OILS 4-STROKE OFFROAD



Motorbike 4T 10W-40 Basic Offroad

SLO Težkim razmeram namenjeno motorno olje za štiritaktne motorje z vodnim in zračnim hlajenjem. Visoka zaščita motorja. Zagotavlja zanesljivo mazanje, optimalno zmanjšanje hrupnosti in dobro zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Posebej razvito za Enduro in motokros motorna kolesa, štirikolesnike, SxS in motorne sani za terensko vožnjo. Primerno za motorje z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB Heavy-duty motor oil for air and water-cooled 4-stroke engines. High engine protection. Guarantees reliable lubrication, optimum noise damping and good wear resistance even under extreme conditions. Tested on engines with catalytic converters. Specially developed for Enduro and motocross motorbikes, quads, SxS and snowmobiles used off-road. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

MOTORNO OLJE 2-TAKT STREET MOTOR OILS 2-STROKE STREET



Motorbike 2T Synth Street Race

SLO Polno sintetično, visoko zmogljivo motorno olje za dvotaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Posebej malo dima. Uporablja se v mešanici pa tudi za ločeno mazanje. Samodejno mešanje. Mešalno razmerje do 1:100, v skladu z navadili uporabe. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 2-stroke engines. Maximum performance and protection of the engine. Tested on racing machines. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Particularly low smoke. For separate and mixture lubrication. Self-mixing. Mixing ratio up to 1:100 in accordance with the operating instructions. Follow the manufacturer's instructions!

API TC, Husqvarna, ISO L-EGD, JASO FD

1 l, Kat. Št./Part no.: 3059

4 l, Kat. Št./Part no.: 3062

1 l, Kat. Št./Part no.: 1505

MOTORNO OLJE 2-TAKT STREET MOTOR OILS 2-STROKE STREET



Motorbike 2T Synth Scooter Street Race

SLO Polno sintetično, visoko zmogljivo motorno olje za dvotaktné motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Poseljebj malo dima. Uporablja se v mešanici pa tudi za ločeno mazanje. Samodejno mešanje. Mešalno razmerje do 1:100, v skladu z navadili uporabe. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 2-stroke engines. Maximum performance and protection of the engine. Tested on racing machines. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Particularly low smoke. For separate and mixture lubrication. Self-mixing. Mixing ratio up to 1:100 in accordance with the operating instructions. Follow the manufacturer's instructions!

API TC, Husqvarna, ISO L-EGD, JASO FD

Motorbike 2T Street

SLO Delno sintetično motorno olje za dvotaktné motorje z zračnim in vodnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Za uporabo v športu. Zagotavlja maksimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednim razmerah delovanja. Testirano na motorjih s katalizatorji. Nizke izpušne emisije. Uporablja se v mešanici pa tudi za ločeno mazanje. Samodejno mešanje. Mešalno razmerje do 1:50, v skladu z navadili uporabe. Sledite navodilom proizvajalca!

GB Partly synthetic, high-performance motor oil for air and water-cooled 2-stroke engines. Maximum performance and protection of the engine. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Low smoke emissions. For separate and mixture lubrication. Self-mixing. Mixing ratio up to 1:50 in accordance with the operating instructions. Follow the manufacturer's instructions!

API TC, ISO L-EGC, JASO FC, TISI (Thailand International Standards Institute)

MOTORNO OLJE 2-TAKT STREET

MOTOR OILS 2-STROKE STREET



Motorbike 2T Semisynth Scooter Street

SLO Delno sintetično motorno olje za dvotaktne motorje z zračnim in vodnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Za uporabo v športu. Zagotavlja maksimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah delovanja. Testirano na motorjih s katalizatorji. Nizke izpušne emisije. Uporablja se v mešanici pa tudi za ločeno mazanje. Samodejno mešanje. Mešalno razmerje do 1:50, v skladu z razmerami delovanja. Sledite navodilom proizvajalca!

GB Partly synthetic, high-performance motor oil for air and water-cooled 2-stroke engines. Maximum performance and protection of the engine. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Low smoke emissions. For separate and mixture lubrication. Self-mixing. Mixing ratio up to 1:50 in accordance with the operating instructions. Follow the manufacturer's instructions!

API TC, ISO L-EGC, JASO FC, TISI (Thailand International Standards Institute)

500 ml, Kat. Št./Part no.: 1622
1 l, Kat. Št./Part no.: 1621

Motorbike 2T Basic Scooter Street

SLO Težkim razmeram namenjeno motorno olje za dvotaktne motorje z vodnim in zračnim hlajenjem. Visoka zaščita motorja. Zagotavlja zanesljivo mazanje in dobro zaščito pred obrabo v normalnih razmerah delovanja. Uporablja se v mešanici pa tudi za ločeno mazanje. Samodejno mešanje. Mešalno razmerje do 1:50, v skladu z razmerami delovanja. Sledite navodilom proizvajalca!

GB Heavy-duty motor oil for air and water-cooled 2-stroke engines. High engine protection. Guarantees reliable lubrication and good wear resistance under normal operating conditions. For separate and mixture lubrication. Self-mixing. Mixing ratio up to 1:50 in accordance with the operating instructions. Follow the manufacturer's instructions!

API TC, ISO L-EGB, JASO FB

1 l, Kat. Št./Part no.: 1619
4 l, Kat. Št./Part no.: 1237

MOTORNO OLJE 2-TAKT OFFROAD MOTOR OILS 2-STROKE OFFROAD



Motorbike 2T Synth Offroad Race

SLO Polno sintetično, visoko zmogljivo motorno olje za dvotaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Testirano na dirkalnih vozilih. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Posebej razvito za Enduro in motokros motorna kolesa, štirikolesnike, SxS in motorne sani za terensko vožnjo. Testirano na motorjih s katalizatorji. Posebej malo dima. Uporablja se v mešanici pa tudi za ločeno mazanje. Mešalno razmerje do 1:100, v skladu z navodili uporabe. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 2-stroke engines. Maximum performance and protection of the engine. Tested on racing machines. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Specially developed for Enduro and motocross motorbikes, quads, SxS and snowmobiles used off-road. Tested on engines with catalytic converters. Particularly low smoke. For separate and mixture lubrication. Self-mixing. Mixing ratio up to 1:100 in accordance with the operating instructions. Follow the manufacturer's instructions!

API TC, Husqvarna, ISO L-EGD, JASO FD

1 l, Kat. Št./Part no.: 3063

4 l, Kat. Št./Part no.: 3064

Motorbike 2T Offroad

SLO Delno sintetično motorno olje za dvotaktne motorje z zračnim in vodnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Za uporabo v športu. Zagotavlja maksimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednim razmerah delovanja. Posebej razvito za Enduro in motokros motorna kolesa, štirikolesnike, SxS in motorne sani za terensko vožnjo. Testirano na motorjih s katalizatorji. Nizke izpušne emisije. Uporablja se v mešanici pa tudi za ločeno mazanje. Samodejno mešanje. Mešalno razmerje do 1:50, v skladu z razmerami delovanja. Sledite navodilom proizvajalca!

GB Partly synthetic, high-performance motor oil for air and water-cooled 2-stroke engines. Maximum performance and protection of the engine. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Specially developed for Enduro and motocross motorbikes, quads, SxS and snowmobiles used off-road. Tested on engines with catalytic converters. Low smoke emissions. For separate and mixture lubrication. Self-mixing. Mixing ratio up to 1:50 in accordance with the operating instructions. Follow the manufacturer's instructions!

API TC, ISO L-EGD, JASO FC, TISI (Thailand International Standards Institute)

1 l, Kat. Št./Part no.: 3065

4 l, Kat. Št./Part no.: 3066

MOTORNO OLJE KART ENGINE OILS KART



Pro Kart

SLO Polno sintetično, visoko zmogljivo motorno olje za dvotaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Uradno odobreno s strani FIA za uporabo v dirkah. Zagotavlja odlično mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Posebej razvito za karting, štirikolesnike in motorna kolesa na benzinski pogon. Testirano na motorjih s katalizatorji. Uporablja se v mešanici pa tudi za ločeno mazanje. Samodejno mešanje. Mešalno razmerje v skladu z navodili uporabe. Sledite navodilom proizvajalca!

GB Fully synthetic, high-performance motor oil for air and water-cooled 2-stroke engines. Maximum performance and protection of the engine. Approved by the FIA and thus officially approved for use in races. Guarantees excellent lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Specially developed for carts, quads and motorbikes run on gasoline. Tested on engines with catalytic converters. For separate and mixture lubrication. Self-mixing. Mixing ratio in accordance with the operating instructions. Follow the manufacturer's instructions!

MOTORNO OLJE ATV/SxS ENGINE OILS ATV/SxS



ATV 4T Motoroil 10W-40

SLO Visoko zmogljivo motorno olje za štiritaktne motorje z vodnim in zračnim hlajenjem. Maksimalna zmogljivost in zaščita motorja. Za uporabo v športu. Zagotavlja optimalno mazanje, izredno čistočo motorja in maksimalno zaščito pred obrabo tudi v izrednih razmerah. Testirano na motorjih s katalizatorji. Posebej razvito za ATV, štirikolesnike in SxS v primeru terenske vožnje. Primerno za vozila z ali brez mokre sklopke. Sledite navodilom proizvajalca!

GB High-performance motor oil for air and water-cooled 4-stroke engines. Maximum performance and protection of the engine. For sporting applications. Guarantees optimum lubrication, outstanding engine cleanliness and maximum wear resistance even under extreme conditions. Tested on engines with catalytic converters. Specially developed for ATVs (All Terrain Vehicles), quads and SxS (Side by Side) when used off-road. Suitable for engines with or without a wet clutch. Follow the manufacturer's instructions!

API SL, JASO MA2

1 l, Kat. Št./Part no.: 1635

1 l, Kat. Št./Part no.: 3013

4 l, Kat. Št./Part no.: 3014

MENJALNIŠKA OLJA GEAR OILS



Motorbike Gear Oil 75W-90

SLO Visoko zmogljivo, visokotlačno menjalniško olje narejeno iz visokogradnih sintetičnih baznih olj in aditivov. Za izredno obremenjene menjalnike in končne pogone motornih koles. Upoštevajte navodila proizvajalca menjalnika.

GB High-performance high-pressure transmission oil made from high-grade synthetic base oils and additives. For the most extremely stressed motorcycle transmission and final drives. Comply with the transmission manufacturer's instructions.

API GL 5, MIL-L 2105 C, MIL-L 2105 D

Motorbike Gear Oil 75W-140 GL5 VS

SLO Visoko zmogljivo, visokotlačno menjalniško olje narejeno iz visokogradnih sintetičnih baznih olj in aditivov. Za izredno obremenjene menjalnike in končne pogone motornih koles. Upoštevajte navodila proizvajalca menjalnika.

GB High-performance high-pressure transmission oil made from high-grade synthetic base oils and additives. For the most extremely stressed motorcycle transmission and final drives. Comply with the transmission manufacturer's instructions.

API GL 5 LS

500 ml, Kat. Št./Part no.: 1516
1 l, Kat. Št./Part no.: 3825

500 ml, Kat. Št./Part no.: 3072

MENJALNIŠKA OLJA GEAR OILS



Motorbike Gear Oil 10W-30

SLO Visoko zmogljivo, visokotlačno menjalniško olje iz skrbno izbranih baznih olj in večnamenskih aditivov. Za menjalnike in končne pogone, ki delujejo v normalnih in visokih obremenitvah.

GB High-Performance high-pressure gear oil made from carefully selected base oils and multifunctional additives. For transmissions and final drives operating under normal to high load.

API GL 4



Motorbike Gear Oil 80W

SLO Visoko zmogljivo menjalniško olje razvito iz izbranih mineralnih baznih olj in aditivov. Za visoko obremenjene menjalnike in končne pogone motornih kol. Upoštevajte navodila proizvajalca menjalnika.

GB High-performance transmission oil made from carefully selected mineral base oils and additives. For highly stressed motorcycle transmission and final drives. Comply with the transmission manufacturer's instructions.

API GL 4, MIL-L 2105 D

MENJALNIŠKA OLJA GEAR OILS



Motorbike Gear Oil GL4 80W-90 Scooter

SLO Visoko zmogljivo, visokotlačno menjalniško olje razvito iz skrbno izbranih baznih olj in večnamenskih aditivov. Za normalno do visoko obremenjene menjalnike in končne pogone.

GB High-performance, high-pressure gear oil manufactured from carefully selected base oils and multifunctional additives. For transmissions and final drives with normal to high loading.

API GL 4, MIL-L 2105

ATV Axle Oil 10W-30

SLO Visoko zmogljivo, visokotlačno menjalniško olje razvito iz skrbno izbranih baznih olj in večnamenskih aditivov. Za normalno in visoke obremenjene menjalnike in končne pogone z ali brez mokre sklopke in/ali hidravlične zavore.

GB High-performance, high-pressure gear oil manufactured from carefully selected base oils and multifunctional additives. For transmissions and final drives with and without a wet clutch and/or wet brake operating under normal to high load.

API GL 4

OLJA ZA ZRAČNE FILTRE FILTER OILS



Motorbike Foam Filter Oil

SLO Specialno olje za vlaženje zračnih filtrov iz pene. Odlične adhezijske lastnosti obdržijo tekočino, pesek in prah v filtru ter preprečujejo večjo obrabo motorja. Podaljšuje življenjsko dobo motorja. Ima učinek odbijanja vode. Se ne lepi ali peni. Modra barvanost med vlaženjem filtra omogoča enoten nanos.

GB Special oil for wetting foam air filters. Thanks to the outstanding adhesive properties of the liquid, sand and dust are reliably trapped in the filter, preventing greater wear on the engine. Increases engine service life. Water-repellent effect. Does not resinify or foam. The blue color when the filter is wetted helps to ensure uniform application.

Motorbike Foam Filter Oil (Spray)

SLO Specialno razpršilo razvito posebej za vlaženje filtrov iz pene in tkanine. Zaustavlja prah in umazanijo tudi v ekstremnih razmerah ter preprečuje poškodbe motorja. Zagotavlja optimalen pretok zraka in posledično maksimalno zmogljivost motorja.

GB Specially developed aerosol for wetting foam and fabric air filters. Dust and dirt are reliably trapped even under extreme operating conditions and engine damage is thus avoided. Guarantees an optimal air flow and thus maximum engine output.

500 ml, Kat. Št./Part no.: 1625
1 l, Kat. Št./Part no.: 3096

400 ml, Kat. Št./Part no.: 1604

OLJA ZA VILICE FORK OILS



Motorbike Fork Oil 5W light

SLO Polno sintetično olje za vilice in amortizerje. Zmanjšuje strižne izgube in zagotavlja zanesljivo vodljivost tudi po dolgotrajni uporabi. Za univerzalno uporabo v teleskopskih vilicah, amortizerjih motornega kolesa, kolesa s pomožnim motorjem, mopa in drugih dvokolesnih vozil.

GB Full synthetic fork oil and shock-absorber oil. Reduces shear losses and provides sure handling performance even after long use. Can be used universally in telescopic forks, shock absorbers in motorcycles, motor bicycles, mopeds and other two-wheeled vehicles.

Motorbike Fork Oil 7,5W medium/light

SLO Razvito za univerzalno uporabo. Posebna sintetična bazna olja in ustreznii aditivi zagotavljajo optimalno voznost in blaženje. Za univerzalno uporabo v teleskopskih vilicah, amortizerjih motornega kolesa, avtocikla, mopa in drugih dvo-kolesnih vozil.

GB Has been developed for universal use. Special synthetic base oils and corresponding additives guarantee optimum drivability and damping. Universal use in telescopic forks and shock absorbers on motorbikes, mopeds, autocycles and other two-wheel vehicles.

500 ml, Kat. Št./Part no.: 1523
1 l, Art.-Nr./Part no.: 2716

500 ml, Kat. Št./Part no.: 3099
1 l, Art.-Nr./Part no.: 2719

OLJA ZA VILICE FORK OILS



Motorbike Fork Oil 10W medium

SLO Polno sintetično motorno olje za vilice in amortizerje. Zmanjšuje strižne izgube in zagotavlja zanesljivo vodljivost tudi po dolgotrajni uporabi. Za univerzalno uporabo v teleskopskih vilicah, amortizerjih v motornih kolesih, kolesih z pomožnim motorjem, mopedih in drugih dvokolesnih vozilih.

GB Full synthetic fork oil and shock-absorber oil. Reduces shear losses and provides sure handling performance even after long use. Can be used universally in telescopic forks, shock absorbers in motorcycles, motor bicycles, mopeds and other two-wheeled vehicles.

Motorbike Fork Oil 15W heavy

SLO Polno sintetično motorno olje za vilice in amortizerje. Zmanjšuje strižne izgube in zagotavlja zanesljivo vodljivost tudi po dolgotrajni uporabi. Za univerzalno uporabo v teleskopskih vilicah, amortizerjih v motornih kolesih, kolesih z pomožnim motorjem, mopedih in drugih dvokolesnih vozilih.

GB Full synthetic fork oil and shock-absorber oil. Reduces shear losses and provides sure handling performance even after long use. Can be used universally in telescopic forks, shock absorbers in motorcycles, motor bicycles, mopeds and other two-wheeled vehicles.

500 ml, Kat. Št./Part no.: 1506
1 l, Kat. Št./Part no.: 2715

500 ml, Kat. Št./Part no.: 1524
1 l, Kat. Št./Part no.: 2717

ZAVORNE TEKOČINE BRAKE FLUIDS



Brake Fluid SL6 DOT 4

SLO Idealno primerna za uporabo v motornih vozilih s hidravličnim zavornim sistemom in sistemom sklopke, za katere je predpisana sintetična zavorna tekočina. Idealna za vozila opremljena z varnostnimi sistemmi kot je ESP/DSC, ABS in/ali ASR.

GB Ideally suited for use in motor vehicle hydraulic brake and clutch systems for which a synthetic brake fluid is prescribed. Ideal for vehicles equipped with safety systems such as ESP/DSC, ABS and/or ASR.



Brake Fluid DOT 4

SLO Idealno primerna za uporabo z vsemi bobnastimi in diskastimi zavornimi sistemi, kot tudi sistemi sklopke motornih vozil, ki jim je predpisana sintetična zavorna tekočina slednje specifikacije. Primerna tudi za uporabo v ABS zavornih sistemih.

GB Ideally suited to use with all disk and drum brake systems, as well as motor vehicle clutch systems for which a synthetic brake fluid of this specification is prescribed. The brake fluid is also ideally suited to use in ABS brake systems.

ZAVORNA TEKOČINA BRAKE FLUIDS



NEGA IN ČIŠČENJE MAINTENANCE PRODUCTS



Brake Fluid DOT 5.1

SLO Idealno primerna za uporabo z vsemi bobnastimi in diskastimi zavornimi sistemi, kot tudi sistemi sklopk motornih vozil, ki jim je predpisana sintetična zavorna tekočina slednje specifikacije. Primerena tudi za uporabo v ABS zavornih sistemih.

GB Ideally suited to use with all disk and drum brake systems, as well as motor vehicle clutch systems for which a synthetic brake fluid is prescribed. The brake fluid is also ideally suited to use in ABS brake systems.

Motorbike Cleaner

SLO Čistilna tekočina, ki je bila posebej razvita za motorna kolesa in kolesa ter ne vsebuje okolju škodljivih topil.

GB Cleaning fluid which has been specially developed for motorbikes and bicycles and is free of environmentally harmful solvents.

250 ml, Kat. Št./Part no.: 3092

1 l, Kat. Št./Part no.: 1509

5 l, Kat. Št./Part no.: 3037

NEGA IN ČIŠČENJE MAINTENANCE PRODUCTS



Motorbike Gloss Spray Wax

SLO Vosek z dobro sposobnostjo čiščenja in dajanja sijaja. Cestna umazanija in mastna onesnaženja so enostavno in hitro odstranjena brez povzročanja prask.

GB Wax with good cleaning action and outstanding luster. Slight road dirt and greasy soiling are easily and quickly removed without causing scratching.

Motorbike Multi Spray

SLO Maže, rahlja rjo ter ščiti in ohranja motorno kolo. Ohranja gibajoče dele, kot so bovdni, proste. Rahlja trdovratne, zjavljavele vijke. Ščiti celoten električni sistem. Preprečuje škipajoč zvok. Ščiti pred korozijo in ohranja gumijaste komponente. Z izrednimi lastnostmi penetracije do težko dostopnih delov.

GB Lubricates, loosens rust, protects and maintains the motorcycle. Keeps movable parts like Bowden cables permanently free. Loosens stubborn, rusted-in screws. Protects the entire electrical system. Prevents squeaking noises. Protects against corrosion and maintains rubber parts. With outstanding creep properties.

NEGA IN ČIŠČENJE MAINTENANCE PRODUCTS



Motorbike Chain Lube

SLO Polno sintetična mast za verige. Izredno adhezivna in vodoodporна. Odlične lastnosti penetracije in mazalnega učinka. Posebej primerna za verige z velikimi hitrostmi. Zmanjšuje raztezanje verige in podaljšuje jeno življenjsko dobo. Biološko razgradljiva (Test CEC L-33T-82 v 21 dneh > 80 %). Za optimalno učinkovitost ne mešajte. Priporočamo predhodno čiščenje verige z izdelkom Motorbike Chain Cleaner (Kat. št. 1602).

GB Fully synthetic chain grease. Extremely adhesive and water resistant. Excellent creeping and lubrication behavior. Especially suitable for high-speed chains. Reduces chain elongation and provides long chain service life. Biodegradability (Test CEC L-33T-82 in 21 days > 80 %). Optimal effectiveness only with unmixed use. We recommend cleaning the chain with Motorbike Chain Cleaner (part no. 1602) before use.

Motorbike Helmet Interior Cleaner

SLO Odstranjuje bakterije in zagotavlja prijeten, svež vonj. Zaščitni sloj preprečuje ponovno hitro akumulacijo umazanj. Za nežno in temeljito čiščenje čelad, vizirjev, oblog, opreme, sedežev, ipd.

GB Removes bacteria and provides a pleasant, fresh scent. The protective film prevents dirt from accumulating quickly. Gentle and thorough cleaning of helmets, helmet upholstery, visors, trims, saddles, etc.

NEGA IN ČIŠČENJE MAINTENANCE PRODUCTS



Motorbike Chain Cleaner

SLO Za čiščenje verig z ali brez o-ringi na dvokolesnih vozilih in štirikolesnikih.

GB For cleaning chains with and without O-rings on two-wheeled vehicles and quads.

Motorbike Chain Lube white

SLO Bela, polno sintetična specialna mast. Za optimalno mazanje z vidnim nanosom na verigo. Odprona na mraz, vročino in pršenje vode. Odlična adhezija in zaščita pred obrabo. Zmanjšuje raztezanje in podaljšuje življensko dobo verige. Odlične penetracijske sposobnosti in zaščita pred korozijo. 50 ml pločevinka se lahko ponovno napolni z 400 ml pločevinko. Priporočamo predhodno čiščenje verige z izdelkom Motorbike Chain Cleaner (Kat. Št.1602).

GB White, full synthetic special grease. For optimal lubrication through visible application on the chain. Cold, heat and spray resistant. Very good adhesion and wear protection. Reduces chain elongation and extends the service life of the chain. Good creeping properties and good corrosion protection. The 50 ml can can be refilled with the 400 ml can. We recommend cleaning the chain with Motorbike Chain Cleaner (Part No. 1602) before use.

500 ml, Kat. Št./Part no.: 1602

400 ml, Kat. Št./Part no.: 1591
Embalaža 50 ml z možnostjo ponovnega polnjenja / replenishment can
50 ml, Kat. Št./Part no.: 1592

NEGA IN ČIŠČENJE MAINTENANCE PRODUCTS



Motorbike Leather Suit Care

SLO Visokogradna zaščitna emulzija za nego gladkega usnja. Osveži barvo, ščiti in ohranja usnje. Površinam daje satenast mat sjaj z imregnacijskim učinkom. Za čiščenje močno onesnaženih površin priporočamo LIQUI MOLY Universal Cleaner (Kat. Št. 1653).

GB High-grade care emulsion for treating all smooth leather. Refreshes the color, protects and maintains the leather. The treated surfaces are given a satin-matt gloss with impregnating effect. For cleaning heavily soiled surfaces, we recommend LIQUI MOLY Universal Cleaner (Part No. 1653).

250 mL, Kat. Št./Part no.: 1601

Motorbike Tire Inflator and Sealer

SLO Zatesni prebodenia mesta in pnevmatiko ponovno napolni. Po popravilu vozite z zmerno hitrostjo. Priporočamo, da pnevmatiko zamenjanate ob prvi priložnosti. Uporabno za vse tipe pnevmatik z ali brez zračnice. Ne uporabljajte, če je zračnica raztgana, če je pnevmatika zdrsnila s platiča ali če ima zunanj ovoj lateralno razrtganino!

GB Seals flat tires and pumps them back up. After a repair, drive only at moderate speed. The tire must be reconditioned or replaced at the next opportunity. For all tire types with and without tubes. Do not use if the tube is torn or if the tire has slipped off the rim or if the outer cover has a lateral tear!

300 mL, Kat. Št./Part no.: 1579

ASORTIMAN IZDELKOV LIQUI MOLY THE LIQUI MOLY PRODUCT RANGE



NEGA IN ČIŠČENJE MAINTENANCE PRODUCTS



Motorbike Visor Cleaner

SLO Ohranja in čisti čelade in vizirje. Aktivno preprečuje rošenje steklenih in plastičnih vizirjev. Z dolgotrajnim učinkom. Odstranjuje umazanijo, insekte, olje in silikonske obloge. Omogoča jasen pogled in varnost.

GB Maintains and cleans helmets and visors. Active anti-misting for glass and plastic visors. With long-term effect. Removes dirt, insects, oil and silicon films. Provides clear vision and safety.

Oil Change Canister

SLO • kapaciteta: 10 L
• ločen vijak za zračenje
• primerno za osebna vozila in motorna kolesa
Za okolju prijazno „naredi-sam“ menjavo olja brez dvižne ploščadi.

GB • Capacity of 10 liters
• Separate venting screw
• Suitable for passenger cars and motorcycles
For environmentally friendly do-it-yourself oil change without lifting platform.

100 ml, Kat. Št./Part no.: 1571

10 l, Kat. Št./Part no.: 7055

Širok spekter izdelkov obsega avtomobilski, moto, navtični in industrijski program. Visoko zmogljivi, sodobni izdelki, razviti in testirani v lastnih, visoko kvalificiranih raziskovalnih laboratorijih podjetja. Testirani na vozilih v dirkah in na cesti.

Automotive, motorcycle, boat and industry products. We have the full range of products. High-performance, state-of-the-art products. Developed in the company's own, highly-qualified research laboratories – and thoroughly tested. On the test bench, when racing and out on the road.

ZMOGLJIVOST PERFORMANCE



MotMotorbike Speed Shooter

SLO Sodobna kombinacija sestavin brez pepela z lastnostmi pospeševanja, čiščenja, disperzije in zaščite. Izdelek je bil razvit z uporabo sodobne tehnologije aditivov in goriv v skladu z zahtevami današnjih motorjev, goriv in razmer delovanja. Zaradi optimizacije zmogljivosti zagotavlja povečan užitek v vožnji. Omogoča lažji zagon in bolj gladek tek motorja. Za dvo- in štirikratne bencinske motorje. 80 ml zadostuje za do 10 L goriva. Pripomočena je uporaba ob vsakem ponovnem polnjenju.

GB State-of-the-art, ash-free combination of agents with acceleration-enhancing, cleaning, dispersing and material-protecting properties. The product has been formulated using state-of-the-art additive and fuel technologies in accordance with the requirements of today's engines, fuels and running conditions. Ensures increased driving enjoyment due to optimized performance. The engine starts easier and also runs smoother. For 2-stroke and 4-stroke gasoline engines (aspirated and injection). 80 ml is sufficient for up to 10 liters of fuel. Recommended for use at each refueling.

80 ml, Kat. Št./Part no.: 3823





Motorbike 4T Shooter

SLO Izboljša zmogljivost motorja. Odstranjuje depozite v sistemu goriva, ventilih, vžigalnih svečkah in zgorevalni komori ter zavira njihovo ponovno nastajanje. Zmanjšuje porabo goriva. Ščiti celoten sistem pred korozijo. Preprečuje zaledenitev uplinjača. Testiran na motorjih s katalizatorjem. Za širitev motorje (uplinjač in vbrizgalni sistem). Dodaja se v gorivo ob vsakem polnjenju. 80 ml zadostuje za 5 do 10 L goriva.

GB Increases engine performance. Removes deposits in the fuel system, in valves, spark plugs and in the combustion chamber and prevents renewed formation. That also reduces fuel consumption. Protects the entire fuel system from corrosion. Prevents carburetor icing. Cat tested. Add to fuel in all 4-cycle engines (carburetor and injection system). 80 ml sufficient for 5 to 10 l fuel. Add every time you fill up.



80 ml, Kat. Št./Part no.: 3824

SET ZA ZMOGLJIVOST MOTORJA

ENGINE PERFORMANCE SET



Set za zmogljivost motorja

SLO Nemški inžiniring v obliki tekočine.

Čeprav je gorivo v primerjavi s preteklostjo postalo cenejše, se njegova kakovost v današnjih dneh ne izboljuje. Ta komplet za zmogljivost bo opazno izboljšal način delovanja vašega motorja.

Komplet vključuje:

1 Motorbike Fuel Stabilizer v 250 ml steklenici
(Kat. št.: 3041, opis izdelka na strani 5)

1 Motorbike 4T Bike Additive v 125 ml pločevinku
(Kat. št.: 1581, opis izdelka na strani 4)

Če vaše motorno kolo ni v redni uporabi, lahko njegova nedejavnost ter deteriorizacija sodobnih goriv povzroči številne težave, ki negativno vplivajo na optimalno zmogljivost in delovanje motorja. Stabilizator Motorbike Fuel Stabilizer goriva igra pomembno vlogo v zagotavljanju stalne pripravljenosti, tudi po daljšem času neuporabe. Priporočamo, da stabilizator najprej dodate z namenom začetne vzpostavitev stanja goriva in nato ob vsakem ponovnem polnjenju - v primeru motornih koles, ki niso v stalni uporabi, ali ob zadnjem polnjenju pred daljšim obdobjem mirovanja vašega motornega kolesa. Za dodaten opis izdelka glej str. 5.

Ko je sistem goriva stabiliziran, dodajte celotno vsebino poločevinke aditiva Motorbike Bike-Additive 4T, ki opazno izboljšuje način delovanja vašega motornega kolesa. Izjemni rezultati vas bodo prepričali v dodajanje aditiva ob vsakem polnjenju rezervoarja za gorivo. Za dodaten opis izdelka glej str. 4.

Kat. št./Part no.: 3034

VEČ KILOMETROV, MANJ OKVAR IN POPRAVIL, VEČ ZABAVE



Svetujemo kako praktično uporabljati kemična orodja, da prihranite denar in ohranite zmogljivost.

Tudi dobro delujoči motorji s časom izgubljajo svoje tovarniške zmogljivosti in zanesljivost.

- Nesnaga na vbrizgalnih šobah povzroča slabo zgorevanje goriva. Rezultat: manj moči, manj prevoženih kilometrov in dodatno nastajanje oblog.
- Obloge v izgorevalni komori povečujejo trenje na batih. Rezultat: manj prevoženih kilometrov in visoka obraba.
- Ostanki goriva, pepela in saj onesnažujejo motorno olje. Rezultat: motorno olje ne zagotavlja več popolnega delovanja in optimalnega mazanja.

To je le nekaj primerov. Naš moto je torej: Odstranimo tiste obloge iz KLJUČNIH DVEH SEGMENTOV MOTORJA - VBRIZGA IN NOTRANJOSTI MOTORJA! Naslednja menjava motornega olja je najboljše mesto za začetek. Pred menjavo olja preprosto dodate LIQUI MOLY MOTORBIKE Engine Flush (Kat. Št.: 1657) v staro olje in pustite motor delovati v prostem teku nekaj minut. V tem času aktivne sestavine raztopijo obloge v celotnem oljnem sistemu, ki nato preprosto odtečejo iz motorja s starim oljem. Novo motorno olje vstopi v čist motor, ki lahko ponovno razvije svojo optimalno učinkovitost.

Čeprav so visoko kakovostna motorna olja, kot so tista iz LIQUI MOLY-ja, dražja, se sama izplačajo - prvič, omogočajo podaljševanje intervala menjave olja in drugič, pomagajo motorju vzdržati celo skrajne obremenitve s tem, da zagotavljajo zanesljivo mazanje za mehanske dele znotraj motorja.

Preostane nam še SISTEM VBRIZGA. Z dodajanjem aditiva v gorivo (Motorbike 4T Bike- Additive Kat. Št.:1581 ali Motorbike 2T Bike-Additive Kat. Št.: 1582), motorju povrnemo in celo povečamo njegovo zmogljivost. Aditiv za gorivo odstranjuje usedline v sistemu goriva, na sesalni in izpušni odprtini, vžigalnih svečkah ter preprečuje njihovo ponovno nastajanje. Slednje tudi zmanjša porabo goriva. Ščiti celoten sistem goriva pred korozijo. Preprečuje zaledenitev uplinjača. Redna uporaba dodatkov ob servisnem intervalu zagotavlja optimalno delovanje in zaščito sestavnih delov agregata do naslednjega servisa.